

TECHNICAL SPECIFICATION **ASSEMBLY MANUAL**

Starting block rack on wheels **BR15-10-W**



File: 2015-02-10

PRODUCT SUPPORT
Pawel Ciechanowski
p.ciechanowski@polanik.com

I. General description and use


Starting block rack on wheels is designed for storing competition starting blocks (PBS-01, PBS-01-W, PBS-02 and PBS-03) in storehouses or for using it during athletics competitions.






II. Technical specification

Code	Weight [kg]	Dimensions length/width/height [mm]	Material	Model	Capacity [pcs]
BR15-10-W	16	905/473/1210	Steel powder painted, galvanized steel	on wheels	10




[mm]



III. Assembly

The rack's elements should be screwed in the way the picture below shows.

BR15-10-W		M16x100	M8x65	M6x40	M6x20	M6	Ø8	Ø16.5	Ø6.5	Ø6/10-5
Poz./Item	Ilość/Q-ty	4	2	2	2	4	2	4	8	2
1	1									
2	1									
3	4									
4	4									
5	1									
6	2									
7	1									



IV. Operation and maintenance

During the idle period the rack should be stored in a roofed and dry place.

V. Packing and transport

The rack is delivered in parts, packed in a cartoon box.

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of sports facility technical staff. The producer shall not be liable for any incidents caused by the improper assembly or its misuse. The producer reserves the right to introduce without warning changes in product constructions and colours.

© 2015 Polanik

VI. Declaration

1) No.2015-02-10

2) Issuer's name: POLANIK

Issuer's name: Życzliwa 11, 97-300 Piotrków Tryb.

3) Object of declaration

No.	Name	Code
1	Starting block rack on wheels	BR15-10-W

4) Technical specification described above is in accordance with the factory's internal engineering standard.

Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf of:

POLANIK

2014-07-16 Piotrków Tryb.
(Date and place of issue)

6) Pawel Ciechanowski
Product Manager

.....
(Name, function)



.....
(Signature or equivalent authorized by the issuer)